



Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use



### Specific benefits



#### Durability

• Longer service life thanks to a double coating for excellent abrasion resistance



#### Hygiene

• Nitrile means no risk of allergies for users  
• Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



#### Performance

• Lightweight for optimal dexterity  
• The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

### Certifications and norms



EN 388  
3 1 2 1 A



EN ISO 374-1  
TYPE A  
KLMNPT



EN ISO 374-5

### Technologies and labels



DMF-free



Silicon-free

### Applications

- Public Works
- Building
- Maintenance
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)

### Risk Protection



Biological



Chemical



Particulates



Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

### Standards - Details



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
A [A-F] CUT RESISTANCE ISO 13997



#### EN 374

K  
L  
M  
N  
P  
T

### Technical details

|                      |                                                                |
|----------------------|----------------------------------------------------------------|
| Glove kind           | Tight glove                                                    |
| Glove family         | Tight glove supported                                          |
| Tight glove kind     | Supported                                                      |
| Coating Level        | Full Coating                                                   |
| Coating Material     | Nitrile, PVC                                                   |
| Coating Finish       | Grip-textured, Double Layer                                    |
| Number of Coatings   | Double Coated                                                  |
| Lining material      | Synthetical textile                                            |
| Thickness (mm)       | 1                                                              |
| Gauge                | 18                                                             |
| Arm level protection | Forearm cuff (< 400mm)                                         |
| Benefits element     | Reach, Free latex, Silicone free, DMF free, Long cuff (>290mm) |
| Color                | Blue                                                           |
| Size                 | 9, 10, 11                                                      |
| Type of conditioning | Bulk bag of 6                                                  |

### Packaging

Sale unit: Bulk bag of 6  
60 pairs /box



Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

### Permeation table

| Chemicals             | Letter | CAS #         | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|-----------------------|--------|---------------|------------------|---------------------------|---------------------|
| Sodium hydroxide 40%  | K      | CAS 1310-73-2 | 6                | 480                       | 2,6%                |
| Sulphuric acid 96 %   | L      | CAS 7664-93-9 | 3                | 60                        | 37,1%               |
| Nitric acid 65%       | M      | CAS 7697-37-2 | 2                | 30                        | 28,2%               |
| Acetic acid 99%       | N      | CAS 64-19-7   | 2                | 30                        | 15,9%               |
| Hydrogen peroxide 30% | P      | CAS 7722-84-1 | 4                | 120                       | 7,9%                |
| Formaldehyde 37%      | T      | CAS 50-00-0   | 5                | 240                       | 9,6%                |



Safety gloves

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

### Logistics information

| Reference | Colour | Size | Designation | EAN13         | Box code       |  |  | Weight  |  |  |  |
|-----------|--------|------|-------------|---------------|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| VV836BL09 | Blue   | 09   | VV836       | 3295249213435 | 13295249213432 | 60                                                                                  | 6                                                                                   | 11.0 kg | 34.0 cm                                                                             | 53.4 cm                                                                             | 25.6 cm                                                                             |
| VV836BL10 | Blue   | 10   | VV836       | 3295249213442 | 13295249213449 | 60                                                                                  | 6                                                                                   | 12.0 kg | 34.2 cm                                                                             | 54.4 cm                                                                             | 26.4 cm                                                                             |
| VV836BL11 | Blue   | 11   | VV836       | 3295249213459 | 13295249213456 | 60                                                                                  | 6                                                                                   | 12.1 kg | 34.2 cm                                                                             | 53.8 cm                                                                             | 25.4 cm                                                                             |



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height